



Rubber Gasket Products

AP STYLE 470

**CURTISS -
WRIGHT**



AP Style 470

AP Services, a product and service brand of Curtiss-Wright, has state-of-the-art gasket manufacturing technology using CNC driven water jet cutters. Hypalon is a trademark for chlorosulfonated synthetic rubber (CSM) originally developed by DuPont® as an answer for its resistance to chemicals, temperature extremes, and ultraviolet light. Style 470 is manufactured using 100% Hypalon in a smooth sheet.

Hypalon is one of the most weather-resistant elastomers available as the rubber material demonstrates almost complete resistance to UV/ozone and will not degrade in long-term sunlight exposure. This rubber also has excellent resistance to abrasion, outstanding resistance to most chemicals, oils and acids, good dielectric strength, and low moisture absorption.

Style 470 is available in sheets, bulk rolls, and pre-cut gaskets.

Hypalon can be manufactured in different durometer ratings. Please call with your specific requirements.

This material can be manufactured in numerous different compounds and durometer ratings. Please call with your specific requirements.

Typical Properties

Temperature Range
-20 °F to +200 °F
Durometer
60 (+/-5) Shore A
Weight
1/8" 9 lb./sy.
ASTM Callout
D 2000
Thickness
1/16", 1/8", 1/4" (other thicknesses available upon request)
Sheet Sizes
48" width (other sizes available upon request)

CONTACT INFORMATION: 18001 Sheldon Road, Middleburg Hts., OH 44130
+1.216.267.3200 | cwnuclear.com

Note: Trademarks are property of their respective owners.