



Rubber Gasket Products

AP STYLE 458

**CURTISS -
WRIGHT**



AP Style 458

AP Services, a product and service brand of Curtiss-Wright, has state-of-the-art gasket manufacturing technology using CNC water jet machines. Style 458 is a neoprene compound with low temperature flexibility and oil resistance. This rubber is chemically inert and resists rotting, checking and cracking due to weather exposure. Style 458 is a smooth plate finish sheet utilizing a high quality neoprene blend.

Neoprene rubbers are good for use in oils, water, weather, and oxidation.

Neoprene can be manufactured in numerous different durometer ratings. Please call with your specific requirements.

Style 458 is available in sheets, bulk rolls, and pre-cut gaskets.

This material can be manufactured in numerous different compounds and durometer ratings. Please call with your specific requirements.

Typical Properties

Temperature Range
-20 °F to +170 °F
Durometer
60 (+/-5) Shore A
Weight
1/8" 6 lb./sy.
ASTM Callout
D 2000
Thickness
1/32", 1/16", 3/32", 1/8", 3/16", 1/4", 3/8", 1/2" (other thicknesses available upon request)
Sheet Sizes
36" and 48" width (other sizes available upon request)

CONTACT INFORMATION:

18001 Sheldon Road, Middleburg Hts., OH 44130
+1.216.267.3200 | cwnuclear.com